



time series ring buffer trigger register windows statistics persistent query condition

Search

[Advanced Search](#)
[Preferences](#)

Web [Show options...](#) Results 1 - 10 of about 1,460 for time series ring buffer trigger register windows statistics persistent query condition payload data point subset. (0.25 seconds)

1. [Windows 2000 Resource Kit Glossary](#)

Entries appear in the right pane of a **Registry Editor window**. For instance, the WINS servers in **Windows 2000** use **persistent** connections to The root is the **point** from which further **subsets** are branched in a logical **trigger**: For Network Monitor **data** captures, a set of **conditions** defined by a user ...

technet.microsoft.com/en-us/library/cc382387.aspx - [Cached](#) - [Similar](#)

2. [\[PDF\] Service Oriented Architecture for Geographic Information Systems ...](#)

File Format: PDF/Adobe Acrobat

Figure 2-2 – RDAHMM output plots for **time series data** collected for two SOAP messages and **data payload** between Web Services. We have used a This filter was set to collect as many as 600 **data points** (roughly equal Rajasekar, A., et al., Virtual Object **Ring Buffer**: A Framework for Real-time Data ...

grids.ucs.indiana.edu/ptliupages/publications/GalipAydin_Thesis.pdf - [Similar](#)

by G Aydin - 2007 - [Cited by 4](#) - [Related articles](#)

3. [\[PDF\] Technical Design Report: Data Acquisition and High Level Trigger](#)

File Format: PDF/Adobe Acrobat

The symbols show the **data points** measured with the test-bench. mal allocation of resources might be to change **trigger conditions**, for instance by The operation is **time critical** because the FEDs have limited **buffer** tion procedures for each type of **persistent data** store that is supported. ...

cdsweb.cern.ch/record/578006/files/csr-2336481.pdf - [Similar](#)

4. [\(IN\)SECURE Magazine Issue 18](#)

Jan 7, 2009 ... Figure 2: **Register Window** Figure 3: Setting a breakpoint on access

After the ... Sub_105DC handles the insertion of the **payload** into the process's memory. You can view and **query** the **CVE statistics** at nvd.nist.gov. ... The review of these entry **points** should consider what **data** do these entry ...

www.scribd.com/doc/11/INSECURE-Magazine-Issue-18 - [Cached](#) - [Similar](#)

5. [IP-flow identification in a wireless point to multi-point ...](#)

12L illustrates an exemplary media access control **payload data** unit of an packet loss due to BER that might otherwise **trigger** congestion collapse and An increasing width of the so-called TCP **window** versus **time** corresponds to performance **data** 1248b (how full the **buffer statistics**, cpe processor ...
www.patentstorm.us/patents/6594246/description.html - [Similar](#)

6. [WebSphere Integration Developer glossary](#)

These components provide that **subset** of functionality which is common to all can load dynamically at run **time**. class **statistics**: Statistical information that services through a **registry**. push button: In a **window** or dialog box, ... (2) The **condition** that exists when all intended references from **data** in ...
publib.boulder.ibm.com/infocenter/...ibm.../glossary.html - [Cached](#) - [Similar](#)

7. [DAG: Apt/Yum RPM package overview](#)

Apr 5, 2006 ... gktsql - Graphical database **query** tool for MySQL and PostgreSQL perl-Tie-**Persistent** - **Persistent data** structures via tie made easy perl-XML-Tiny - Simple lightweight parser for a **subset** of XML rrdtool - Round Robin Database Tool to store and display **time-series data** ...
dag.wieers.com/rpm/packages.php - [Cached](#) - [Similar](#)

8. [David Cottingham's Research Bibliography](#)


VEDAS: A Mobile and Distributed **Data** Stream Mining System for Real-**Time** Vehicle Monitoring. on the **payload** size used (4 KB **payload** implies 25 kb/s goodput, A **persistent query** is a **series** of instantaneous queries, all performed on ... of selecting only a **subset** of **points** that are relatively close by, ...
www.cottinghams.com/david/references.shtml - [Cached](#) - [Similar](#)

9. [Multiplex communications inventions -](#)

20090141621 - Bandwidth reservation reuse in dynamically allocated **ring** protection The method includes requesting **persistent** allocation of resources for a **data** spurt 20090135814 - Method and device for tapping the **payload data** of multimedia and a service **trigger point**, configured to obtain the. ...
www.irefreshpatents.com/Multiplex-communications-dinewntc370.php - [Cached](#) - [Similar](#)

10. [ICON 2007 Book of Abstracts](#)

cation or BLINC: no access to packet **payload**, no knowledge of port ... as wrapper approach to obtain the optimum feature **subset**. We have examined the feasibility of conventional distributions of **data query**, a **query's** name is resolved **time-series** behaviour of FPS server-to-client packet lengths is well ...
ieeexplore.ieee.org/iel5/4444/336/4444331/04444041.pdf?.. - [Similar](#)
by CPP Ltd



time series ring buffer trigger register windows statistics persistent query condition payload data point subset

[Search](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)